

0000

[illegible]

11

□□□□□
 □□□□□□□□□□
 □□□□□□□□□□, □□□□□□□□□□
 □□□□□□, □□□□□, □□□□□□□□, □□□□□□□□

00:

□□, □□, □□, □□□



QINGDAO YUJING FANYU TRADING CO., LTD



00000:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

2 mm/3 mm/4 mm/5 mm/6 mm □□□□

厚度	3 mm/4 mm/5 mm/6 mm 可选
标准	iso9001:2000, ce, tuv, interket
重量	每平方米重量约10kg, 可根据客户要求调整, 可定制各种规格, 可定制各种颜色, 可定制各种厚度, 可定制各种表面处理
特点	1. 强度高 2. 耐腐蚀 3. 易安装 4. 使用寿命长
应用	1. 工业厂房 2. 仓库 3. 超市, 学校, 医院
规格	可根据客户要求定制
颜色	200, 300, 400, 500, 600
尺寸	1600 * 1830 * 2440 mm, 2250 mm, 2134 * 3300mm
包装	可根据客户要求定制
交货期	可根据客户要求定制
售后	1. 提供技术支持 2. 提供售后服务
其他	可根据客户要求定制

地址:





☐☐☐☐☐:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

☐☐☐☐☐

☐☐☐☐☐☐☐☐☐

