[illegible]

[illegible] [illegible]/	
[illegible]:	[illegible] [illegible] [illegible];[illegible] FENZI
[illegible]:	1.5 mm, 1.8 mm[illegible]2 mm[illegible]3 mm[illegible]4 mm[illegible]5 mm[illegible]6 mm[illegible]
[illegible]:	[illegible] [illegible]
[illegible]:	[illegible]
Edgeworks:	[illegible] [illegible]/[illegible]/C [illegible];[illegible] [illegible]/[illegible]
[illegible]:	1650 × 2200 mm[illegible]1830 × 1220 mm[illegible]1830 × 2440 mm[illegible]2134 x 3300 mm [illegible]
[illegible]:	[illegible]CNC [illegible]
OEM [illegible]:	[illegible]
[illegible]:	T [illegible] T[illegible]L/C [illegible]
[illegible]:	[illegible] 30% [illegible] L/C [illegible] 15 [illegible]

□□:	**2 □□□□□□□□□□□□□□□□□□□**
□□□:	**ISO 9001: 2000□INTERKET□TUV□KS**
□□□ □□□□□:	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□:	□□□□□□□□□□□□□□□□□□□□□□
□□:	□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

cnqdmirror.en.alibaba.com
LYING
福莱英
QINGDAO YUJING FANYU TRADING CO., LTD

□□□□□□ □□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

ISO
cnqdmirror.en.alibaba.com
LYING
福莱英
QINGDAO YUJING FANYU TRADING CO., LTD

[illegible]

[illegible]

cnqdmirror.en.alibaba.com

2 [illegible]: [illegible]

[illegible]: [illegible] 30% [illegible] L/C [illegible] 15 [illegible]

[illegible]

[illegible] **ISO 9001[illegible]iso 14001[illegible]KS[illegible]CCC[illegible]CE[illegible]TUV[illegible]SGS [illegible]**.[illegible] **80** [illegible]!

FAQ

1. [illegible]?

[illegible] MOQ [illegible] 1 * 20GP [illegible]1 [illegible]

2. [illegible]

□□□

3. □□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4. □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□□□□□□□□□□□□□□ **6** □□ □□□□□□□□□ **10** □□□□**300** □□ **RC** □ **QC** □□□□□□□□□□□□□□□□□□□□□□□; □□□ □□□□□□□□□□□ □□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□!

□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□!

□□□□

[□□□□ □□□]   [□□□□]   [□□□□□□□□]