



QINGDAO YUJING FANYU TRADING CO., LTD



QINGDAO YUJING FANYU TRADING CO., LTD



□□□□□□□□:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

2 mm/3 mm/4 mm/5 mm/6 mm □□□□□□□□□□

厚度	3 mm/4 mm/5 mm/6 mm 任意
标准	iso9001: 2000 认证tuv interket
包装	每箱10个, 每箱重量约10kg, 每箱体积约1m ³ , 每箱长度约1.8m, 每箱宽度约0.8m, 每箱高度约0.2m
特点	1. 强度高 2. 重量轻 3. 耐腐蚀 4. 使用寿命长
应用	1. 工业厂房 2. 仓库 3. 物流中心
规格	2 mm 3 mm 4 mm 5 mm 6 mm
尺寸	1600 * 1830 * 2440 任意 2250 任意 2134 * 3300mm
颜色	任意
产地	任意
重量	1. 2 kg 2. 任意
长度	任意 15m

地址:





☐☐☐☐☐☐☐☐☐☐:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

FAQ

☐☐☐☐☐☐☐☐☐☐

1. iso 9001:2000  INTERKET 

2.  1 

3.         

4. 

5. 

6. 

7.         