


00 00

0000 0 00 (0000 0 00) 4-5 00 000 000 00 0 00 000 0 000. 0 0 0000 0 000 00, 00 0 000 0000 00 000 0 00 000 00000. 00 (0000, 00, 0000, etc.)0 000 00 00 0000 00 00 0000 00.





QINGDAO YUJING FANYU TRADING CO., LTD

厚度	3-10 mm 常用厚度 3 mm
规格	3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 19 mm 常用规格
颜色	透明, 灰色, 蓝色, 绿色, 红色.
形状	平板, 弧形, 异形.
尺寸	200 x 400 mm, 2400 x 7000k 常用尺寸 常用规格
标准	EC12150, CCC
工艺	<ol style="list-style-type: none"> 1. 切割: 常用 4-5 mm 常用厚度 常用规格 常用规格 2. 磨边: 常用 常用规格, 常用规格 常用规格 常用规格 常用规格 常用规格 3. 钢化 300 ° c 常用规格 常用规格 常用规格 常用规格

常用规格




OG



Flat Edge



Triple OG



Double Bevel




Triple Bevel



Pencil Edge



Bevel 1^{mm}



Convex



□□ □□ □□:

□ □ □□□□ □□ □□ □□, □□ □□ □□□□ □□, **2** □□ □□ □ □□□ □□ □□

□□ □□ □□:

□□ □□ **20** □□□□ □□

□□



ISO 9001 Certificate



ISO 14001 Certificate



TUV CASS test report I



CCC Certificate



CCC Certificate



KS Certificate

☐☐:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

☐☐☐☐(FAQ):

□ □□ □□?

UR1.ISO 9001:2000, tuv, □ □□ □□.

2. □□ □ □□ □□□ □ □□ □□□ □□ □□.

3. □□□□ □ □ □ □□□ □□ □□ □□□ □□□ □□ □ □□ □□ □□ □□.

4. □□□ □□ □□ □□.

5. □□□□ □□□□ □□□.

6. □□ □ □ □□□□ □□.

7. □□□ □□□ □□ □□□□ □□□ □□□ □ □□□ □□ □ □□□□ □□ □□ □□□ □□□ □□ □ □ □□.