

3 m m □□ □□ □□





☐☐:

☐☐ ☐☐: ☐☐ ☐☐

3mm 4mm 5mm ☐☐: 2mm

☐☐ ☐☐: ☐☐☐, ☐☐☐ ☐☐,☐☐-☐☐☐☐☐ ☐☐

☐☐☐ ☐☐: ☐☐, ☐☐☐, ☐☐, ☐.

☐☐: ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐, ☐☐☐☐, ☐☐☐, S ☐☐, ☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐ ☐.

☐☐: 1830 \* 2440 mm, 2134 \* 3300 mm, 2440 \* 3050 mm, 2440 \* 3660 mm, ☐

☐☐ ☐☐☐☐: ☐☐☐☐ ☐☐, ☐☐☐☐ ☐☐, ☐☐☐☐ ☐☐,  
☐☐☐☐ ☐☐☐☐, ☐☐ ☐☐☐, ☐☐☐☐☐☐☐☐, ☐☐☐☐☐☐☐.

☐☐☐☐: ISO 9001: 2000, INTERKET, TUV, KS

☐☐☐☐☐☐: ☐☐, ☐☐, ☐☐☐☐☐☐, ☐☐☐☐☐☐, ☐☐☐☐☐☐, ☐☐☐☐☐☐, ☐☐☐☐☐☐, ☐☐☐☐☐☐.

YING

YING /aluminum / 1000mm / 1200mm / 1500mm / 1800mm / 2000mm / 2400mm / 2500mm / 2600mm / 2800mm / 3000mm / 3200mm / 3400mm / 3600mm / 3800mm / 4000mm / 4200mm / 4400mm / 4600mm / 4800mm / 5000mm / 5200mm / 5400mm / 5600mm / 5800mm / 6000mm / 6200mm / 6400mm / 6600mm / 6800mm / 7000mm / 7200mm / 7400mm / 7600mm / 7800mm / 8000mm / 8200mm / 8400mm / 8600mm / 8800mm / 9000mm / 9200mm / 9400mm / 9600mm / 9800mm / 10000mm

YING /aluminum / 1000mm / 1200mm / 1500mm / 1800mm / 2000mm / 2400mm / 2500mm / 2600mm / 2800mm / 3000mm / 3200mm / 3400mm / 3600mm / 3800mm / 4000mm / 4200mm / 4400mm / 4600mm / 4800mm / 5000mm / 5200mm / 5400mm / 5600mm / 5800mm / 6000mm / 6200mm / 6400mm / 6600mm / 6800mm / 7000mm / 7200mm / 7400mm / 7600mm / 7800mm / 8000mm / 8200mm / 8400mm / 8600mm / 8800mm / 9000mm / 9200mm / 9400mm / 9600mm / 9800mm / 10000mm



- Interlay
- 19-25 m m
- TT /C/ 30

YING