

□□ □□:

□□ □□ □□ □ □□ □□ □□ □□ □ □ □ □□, □□, □□ □□ □□□□ □□ □□ □ □□ □□ □□.
□□ □□, □□, □□ □□ □□ □□ □□. □□ □□□□ □□ □ □ □□ □□ □ □ □□□ □□ □□ □□.



□□:

□□ □□□□□.
□□ □□ □□ □□ □□□.
□□ □□ □□ □ □ □□ □ □, □□ □□--□□ □□□□□.
□□ □□ □□ □□ □ □□ □ □ □□ □□-□□□ □□.

□□:

□□, □□, □□□, □□ □□



QINGDAO YUJING FANYU TRADING CO., LTD



☐☐☐ ☐☐:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

2mm/3mm/4mm/5mm/6mm □□ □□ □□□ □□

Thickness	3mm/4mm/5mm/6mm
Standards	iso9001:2000, ce, tuv, etc.
Lead time	10 days for standard sizes, 15-20 days for special sizes.
Products	1. Cold-chamber die-casting aluminum plate 2. Cold-chamber die-casting aluminum plate 3. Cold-chamber die-casting aluminum plate 4. Cold-chamber die-casting aluminum plate
Applications	1. Industrial machinery 2. Automobile parts 3. Electronic equipment 4. Building materials
Dimensions	1. 1500 * 2000 * 2000 mm 2. 1500 * 2000 * 2000 mm 3. 1500 * 2000 * 2000 mm
Surface treatment	Surface oxidation, anodizing, painting, etc.
Thickness	2 mm, 3mm, 4mm, 5mm, 6mm
Size	1600 * 1830 * 2440 mm, 2250 mm, 2134 * 3300k
Material	Aluminum plate, aluminum plate, etc.
Material	Aluminum plate, aluminum plate, etc.
Weight	1.2 tons for standard sizes, 2 tons for special sizes.
Price	Starting from 15 yuan/m ²

Color:





☎ ☎ ☎ ☎☎☎☎:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

☎ ☎ ☎(FAQ):

☎ ☎ ☎?

1. iso 9001:2000, tuv, 00 00 0.

2. 00 0 00 000 0 00 000 00 00.

3. 0000 0 0 0 000 0000 00 00 000 00 0 00 00 0000 00 00 00.

4. 000 00 00 00.

5. 0000 0000 000.

6. 00 0 0 0000 00.

7. 000 000 00 0000 0 0 00 000 000 0 000 00 000 0000 000 000