

□□ □□:





本公司生产的产品符合 ISO 9001:2000, TUV, KS, CCC, CQC 等标准。产品广泛应用于建筑、工业、农业等领域。产品规格齐全，质量稳定，交货及时。产品符合 GB 18755-2002 标准。

产品名称	聚乙烯单轴拉伸膜
标准	iso 9001:2000, tuv, ks, cqc
规格	膜厚 0.02-0.06 mm, 宽度 1830-2440 mm, 长度 2000-3000 m
性能	1. 具有良好的拉伸性能, 抗撕裂强度高。 2. 具有良好的耐老化性能, 使用寿命长。 3. 具有良好的耐化学性能, 耐腐蚀性强。
用途	用于包装、运输、仓储等。
包装	1. 卷装, 每卷重量 1-2 吨; 2. 袋装, 每袋重量 1-2 吨; 3. 散装, 每车重量 1-2 吨。
厚度	2-6 mm
宽度	1830 mm, 2440 * 2200 * 1650 mm 33mm 2134 *, 等。
长度	2000 m, 3000 m, 4000 m 等
其他	可定制, 可印刷。

□□ □□	ikea, b & q, □□□, □□.
□□-□□	□
□□	1. □□, □□. 2. □ □□ □□□ □□ □□, □□, □□□ □ □□□, □.



QINGDAO YUJING FANYU TRADING CO., LTD



YUJING MIRROR / GLASS

00 000



QINGDAO YUJING FANYU TRADING CO., LTD

□ □ □ □



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

□□ □□ □□:

2 □ □□, □□ □□□ □□ □□ □□□ □□ □□.

□□ □□ □□:

□□□ □□□□ **15** □ □□ □□ **1/c**

□□□ □ □□ □□□□:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



+86 18753639025

WhatsApp



sunny@yujinggroup.cn