

□□ □□:

□□ □□ □□ □ □□ □□ □□ □□ □ □ □ □□, □□, □□ □□ □□□□ □□ □□ □ □□ □□ □□.
□□ □□, □□, □□ □□ □□ □□ □□. □□ □□□□ □□ □ □ □□ □□ □ □ □□□ □□ □□ □□.



□□:

□□ □□□□.
□□ □□ □□ □□ □□.
□□ □□ □□ □ □ □□ □ □, □□ □□--□□ □□□□.
□□ □□ □□ □□ □ □□ □ □ □□ □□-□□ □□.

□□:

□□, □□, □□□, □□ □□



QINGDAO YUJING FANYU TRADING CO., LTD



☐☐☐ ☐☐:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

2mm/3mm/4mm/5mm/6mm □□ □□ □□□ □□

| | |
|--------------------|---|
| 厚度 3mm/4mm/5mm/6mm | 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm |
| 认证 | iso9001:2000, ce, tuv, 等 |
| 规格 | 规格 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm 规格 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm |
| 应用 | 1. 建筑 2. 工业 3. 农业 4. 其他 |
| 特点 | 1. 强度高 2. 耐腐蚀 3. 使用寿命长 |
| 包装 | 包装 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm 包装 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm |
| 重量 | 重量 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm 重量 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm |
| 价格 | 2 mm, 3mm, 4mm, 5mm, 6mm |
| 尺寸 | 1600 * 1830 * 2440 mm, 2250 mm, 2134 * 3300k |
| 颜色 | 白色, 蓝色, 灰色, 黑色, 红色, 绿色 etc. |
| 表面处理 | 镀锌, 喷塑, 电泳, 粉末, 氟碳 etc. |
| 交货期 | 1.2 周 交货 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm 交货 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm |
| 质保 | 质保 15 年 |

工厂:





☐☐ ☐☐ ☐☐☐☐:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



[cn1513198902](https://t.me/cn1513198902)



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

☐☐ ☐☐ ☐☐(FAQ):

☐☐ ☐☐?

1. iso 9001:2000, tuv, 00 00 0.

2. 00 0 00 000 0 00 000 00 00.

3. 0000 0 0 0 000 0000 00 00 000 00 0 00 00 000 00 00 00.

4. 000 00 00 00.

5. 0000 0000 000.

6. 00 0 0 0000 00.

7. 000 000 00 0000 0 0 00 000 000 0 000 00 000 0000 000 000