

□□ □□:

Yujing □□ □□ □ □□ □□ **JINJING** □□□□ □□, □□□, □□ □□ □□ □□□ □□□□ **FENZI** □ □□□ □□□. □□□ □□, □□, □ □□□□□ □□ □□. □ □□ □ □ □□□□ □□□ □□ □□ □□□ □□□ □□ □ □□□ □□□.





☎:

☎ ☎☎☎☎☎.
☎ ☎☎ ☎☎ ☎ ☎☎.
☎☎ ☎☎☎ ☎ ☎ ☎☎ ☎ ☎, ☎☎ ☎ ☎☎☎-☎-☎☎ ☎☎☎☎☎☎.
☎☎ ☎☎ ☎☎☎ ☎☎ ☎☎ ☎☎☎ ☎☎ ☎☎☎ ☎☎☎.

☎☎ ☎☎☎☎:

☎☎, ☎☎, ☎☎, ☎☎☎☎☎



QINGDAO YUJING FANYU TRADING CO., LTD



☐☐ ☐☐☐ ☐☐☐:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

厚度	3mm/4mm/5mm/6mm 规格 可 定制 规格
认证	ISO9001: 2000, CE, TUV, INTERKET
重量	厚度 10 规格 重量 规格 定制 规格 规格 规格 规格 规格 规格 规格: 规格 规格. 规格 规格, 规格 规格 规格 规格 规格, 规格 规格 规格 规格 规格 规格 规格 规格
应用	1. 规格 规格 规格 规格 规格 2. 规格 规格 规格 3. 规格 规格 规格 4. 规格 规格, 规格 规格 规格 规格
品牌	1. 规格. 规格 规格 FENZI 规格 规格 2. 规格 规格 规格 规格 规格 规格 规格 规格. 3. 规格 规格, 规格 规格, 规格 规格
规格	规格 规格 规格 规格, 规格, 规格, 规格 规格, 规格 规格, 规格 规格 规格 规格 规格 规格.
规格	2mm, 3mm, 4mm, 5mm, 6mm
规格	1600 * 2250 mm, 1830 * 2440 mm, 2134 * 3300 mm
规格	规格 规格, 规格, 规格, 规格, 规格 规格
规格	规格, 规格, 规格, 规格, 规格, 规格 规格 规格
规格	1. 2 规格 规格 规格 规格 规格 规格 规格 规格 2. 规格-规格 规格 规格
规格	规格 规格 规格 15 规格

规格 规格:





☐☐ ☐ ☐☐ ☐☐☐☐.

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



WhatsApp

+86 18753639025



sunny@yujinggroup.cn

☐☐ ☐☐ ☐☐(FAQ):

☐☐ ☐☐ ☐?

1. ISO 9001: 2000, TUV, INTERKET 。
2. 。
3. **suppler** 。
4. 。
5. 。
6. 。
7. 。