



00 00

00 00 (00 00) 00 000 00 0 00 00 4-5 0 00. Yujing 00 00 00, 00 0 000 0000 00 000 00 00 000 00 00. 00 (00, 00, 00, 0)00 00 00 00 000 0000 00 00 00 000 000.









QINGDAO YUJING FANYU TRADING CO., LTD

规格	5-10 m m 幅宽 重量 100g / m²
厚度	3mm, 4mm, 5mm, 6mm, 8mm, 10 m m 幅宽 重量 100g
颜色	白色, 黑色, 灰色, 蓝色, 绿色.
形状	圆形, 方形, 长条.
尺寸	200 x 400 mm, 2400 x 7000 mm 幅宽 重量 100g
认证	EC12150, CCC, 其他认证.
应用	<ol style="list-style-type: none"> 1. 用途: 用于道路工程 4-5 厘米厚 2. safety: 用于防止水土流失 防止滑坡 防止泥石流 防止洪水 防止洪水. 3. 可在 300 ° C 下使用 防止火灾

福源英





□□ □□ □□:

□ □ □□□□ □□ □□ □□, □□ □□ □□□□ □□, □ □□ □□ □□ □□ □□

□□ □□ □□:

20 □ □□ □□

□□



ISO 9001 Certificate



ISO 14001 Certificate



TUV CASS test report I



CCC Certificate



CCC Certificate



KS Certificate

☐☐☐ ☐☐☐:

Sales - sunny wang

Shouguang Yujing Business&Trading Co., Ltd.



sunny@yujinggroup.cn



276387631



cn1513198902



2753668305



+86 18753639025

WhatsApp



sunny@yujinggroup.cn

☐☐ ☐☐☐☐ (FAQ):

၀၀ ၀၀ ၀?

1. ISO 9001: 2000, TUV, INTERKET ၀၀.

2. ၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀ ၀၀၀၀၀.

3 ၀၀ ၀၀ ၀၀၀၀ **suppler** ၀ ၀၀၀၀ ၀ ၀၀၀ ၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀.

4. ၀၀၀ ၀၀ ၀၀ ၀၀၀၀၀၀.

5. ၀၀၀၀ ၀ ၀၀၀၀ ၀၀၀၀၀၀.

6. ၀၀၀ ၀၀ ၀၀၀၀ ၀၀ ၀၀၀.

7. ၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀ ၀၀၀ ၀ ၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀ ၀ ၀၀၀.