


00 00:

00 000 00 0 00 000 00 00 00 0 0 0 00, 00, 00 00 00000 00 000 0 00 0000 00.
000 00, 00, 000 00 00 00 00. 000 00000 00 0 0 00 00 0 0 0000 00 00 00.





QINGDAO YUJING FANYU TRADING CO., LTD



000 00:



Front of crates



Top of crates



Bottom of crates



Fumigated mark



Note on crates



Container



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery



Empty container



Half loaded



Fully loaded



Closing container



Sealing



Delivery

2mm/3mm/4mm/5mm/6mm □□□ □□□ □□□□ □□

厚度 3mm/4mm/5mm/6mm	3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm
认证	iso9001:2000, ce, tuv, 等
规格	规格 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm 规格 10 米 长度 3mm/4mm/5mm/6mm 厚度 3mm/4mm/5mm/6mm
应用	1. 室内 2. 室外 3. 工业 4. 其他
特点	1. 强度高 2. 耐腐蚀 3. 使用寿命长 4. 施工方便
包装	1. 10 米 长度 2. 20 米 长度 3. 30 米 长度
运输	1. 公路 2. 铁路 3. 海运 4. 空运
安装	1. 2 米 长度 2. 3 米 长度 3. 4 米 长度
维护	1. 2 米 长度 2. 3 米 长度 3. 4 米 长度
价格	2 米 长度, 3 米 长度, 4 米 长度, 5 米 长度, 6 米 长度, etc.
重量	1600 * 1830 * 2440 mm, 2250 mm, 2134 * 3300k
颜色	1. 蓝色 2. 白色 3. 灰色 4. 其他
表面处理	1. 2 米 长度 2. 3 米 长度 3. 4 米 长度
使用寿命	1.2 米 长度 2. 3 米 长度 3. 4 米 长度
其他	1. 2 米 长度 2. 3 米 长度 3. 4 米 长度

其他:



1. **iso 9001:2000, tuv, 00 00 00.**
2. 00 0 00 000 0 00 000 00 00.
3. 0000 0 0 0 000 0000 00 00 000 00 0 00 00 000 00 00 00.
4. 000 00 00 00.
5. 0000 0000 000.
6. 00 0 0 0000 00.
7. 000 000 00 0000 0 0 00 000 00 0 0000 000 000 0 000 000.