

1. Smooth surface, no bubble ,no scratch.
2. High light transmittance and excellent optical performance.
3. Resistant to acid,alkaline and corrosion
4. Can be cut into small size as the customers’ requirement.
5. Applied in the field of photo frame,building decoration,optical instruments,clock cover and so on.
6. Certificates:ISO9001:2000 and CE.





Clear sheet glass

Thickness	Width (mm)	Length (mm)	Pcs/crate	Crates/20'gp	FOB Qingdao USD/SQM
1.5mm	610	914	428	28	1.06
	914	1220	375	16	
	1016	1220	335	16	
1.8mm	610	914	420	24	1.27
	914	1220	315	16	
	1016	1220	280	16	
2mm	610	914	375	24	1.42
	914	1220	300	16	
	1016	1220	270	16	
2.7mm	610	914	280	24	1.91
	914	1220	210	16	
	1220	1830	140	12	
3mm	914	1220	200	16	2.13
	1220	1830	120	12	
	1830	2440	76	10	



1. liso, sem bolha, nenhum arranhão.
2. alta transmissão da luz e excelente desempenho óptico.
3. resistente ao ácido e alcalino e à corrosão
4. pode ser cortada em tamanho pequeno, como a exigência de clientes.
5. aplicado no campo de molduras para fotos, decoração de construção, instrumentos óticos, relógio capa e assim por diante.
6. certificado: ISO9001: 2000 e CE.

wfyujing.en.alibaba.com

02 25 201

Contact us

SALES MANAGER : ASHLEY

+8615192699256

+8615192699256

+8615192699256

cn1511967033

ashley.shen@yujinggroup.cn

1224054392